


10 期數的住宅物業的樓面平面圖 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第2座 TOWER 2

6樓
6/F




備註：平面圖所列數字為以毫米標示之建築結構尺寸。

Note: The dimensions of the floor plans are all structural dimensions measured in millimeters.

比例尺 Scale 0米(m) 5米(m)

10期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE




每個住宅物業 Each Residential Property	樓層 FLOOR	第2座 TOWER 2			
		單位 FLAT			
		A	B	C	D
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	6樓 6/F	150, 175, 225	150, 200, 225	150, 200, 225	150, 175, 225
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		3050, 3100, 3200, 3300, 3400, 3450, 3500	3050, 3100, 3150, 3300, 3500	3050, 3100, 3150, 3300, 3500	3050, 3100, 3150, 3200, 3300, 3400, 3450, 3500

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

請參閱本售樓說明書第54 - 56頁為住宅物業的樓面平面圖而設之備註和圖例。
Please refer to pages 54 - 56 of this sales brochure for the remarks and legends pertaining to the floor plans of the residential properties.

7樓至12樓、15樓至23樓、25樓至28樓
7/F - 12/F, 15/F - 23/F, 25/F - 28/F




Note: The dimensions of the floor plans are all structural dimensions measured in millimeters.

比例尺 Scale  0米(m) 5米(m)

10期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE



每個住宅物業 Each Residential Property	樓層 FLOOR	第2座 TOWER 2			
		單位 FLAT			
		A	B	C	D
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	7樓至12樓、15樓至23樓、25樓至27樓 7/F - 12/F, 15/F - 23/F, 25/F - 27/F	150, 175, 225	150, 200, 225	150, 200, 225	150, 175, 225
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		2760, 2810, 2910, 3010, 3110, 3160, 3210	2760, 2810, 2860, 3010, 3210	2760, 2810, 2860, 3010, 3210	2760, 2810, 2860, 2910, 3010, 3110, 3160, 3210
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	28樓 28/F	150, 200	150, 200	150, 200, 225	150, 200
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		2810, 2860, 3010, 3210, 3360	3210	3210	2860, 3010, 3210, 3350, 3500

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


請參閱本售樓說明書第54 - 56頁為住宅物業的樓面平面圖而設之備註和圖例。
Please refer to pages 54 - 56 of this sales brochure for the remarks and legends pertaining to the floor plans of the residential properties.

10 期數的住宅物業的樓面平面圖


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第2座 TOWER 2

30樓至32樓、35樓
30/F - 32/F, 35/F



30樓的部分平面圖
PART PLAN FOR 30/F




備註：平面圖所列數字為以毫米標示之建築結構尺寸。

Note: The dimensions of the floor plans are all structural dimensions measured in millimeters.

比例尺 Scale 0米(m) 5米(m)

10期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE




每個住宅物業 Each Residential Property	樓層 FLOOR	第2座 TOWER 2	
		單位 FLAT	
		A	B
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	30樓 30/F	150, 200, 275	150, 200, 275
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		3100, 3125, 3150, 3200, 3250, 3300, 3400, 3425, 3450, 3470, 3500	3050, 3100, 3125, 3150, 3200, 3250, 3300, 3400, 3425, 3470, 3500
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	31樓至32樓 31/F - 32/F	150, 200, 275	150, 200, 275
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		3100, 3125, 3150, 3200, 3250, 3300, 3400, 3425, 3450, 3470, 3500	3050, 3100, 3125, 3150, 3200, 3250, 3300, 3400, 3425, 3470, 3500
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	35樓 35/F	150, 200, 275	150, 200, 300
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		3150, 3175, 3200, 3250, 3350, 3395, 3400, 3470, 3500, 3605	3050, 3100, 3125, 3150, 3200, 3250, 3300, 3400, 3470, 3500

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

請參閱本售樓說明書第54 - 56頁為住宅物業的樓面平面圖而設之備註和圖例。
Please refer to pages 54 - 56 of this sales brochure for the remarks and legends pertaining to the floor plans of the residential properties.

33樓
33/F




Note: The dimensions of the floor plans are all structural dimensions measured in millimeters.

比例尺 Scale  0米(m) 5米(m)

10期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE



每個住宅物業 Each Residential Property	樓層 FLOOR	第2座 TOWER 2	
		單位 FLAT	
		A	B
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	33樓 33/F	150, 200, 275	150, 200, 275
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		3100, 3125, 3150, 3200, 3250, 3300, 3400, 3425, 3450, 3470, 3500	3050, 3100, 3125, 3150, 3200, 3250, 3300, 3400, 3425, 3470, 3500

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


請參閱本售樓說明書第54 - 56頁為住宅物業的樓面平面圖而設之備註和圖例。
Please refer to pages 54 - 56 of this sales brochure for the remarks and legends pertaining to the floor plans of the residential properties.

10 期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第2座 TOWER 2

36樓至41樓
36/F - 41/F




備註：平面圖所列數字為以毫米標示之建築結構尺寸。

Note: The dimensions of the floor plans are all structural dimensions measured in millimeters.

比例尺 Scale 0米(m) 5米(m)

10期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE



每個住宅物業 Each Residential Property	樓層 FLOOR	第2座 TOWER 2
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	36樓至40樓 36/F - 40/F	150, 200, 225, 250
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		3050, 3100, 3125, 3150, 3200, 3250, 3300, 3350, 3400, 3470, 3500
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	41樓 41/F	150, 200, 225, 250
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		3050, 3100, 3150, 3200, 3250, 3300, 3350, 3400, 3470, 3500

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


請參閱本售樓說明書第54 - 56頁為住宅物業的樓面平面圖而設之備註和圖例。
Please refer to pages 54 - 56 of this sales brochure for the remarks and legends pertaining to the floor plans of the residential properties.

10 期數的住宅物業的樓面平面圖 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第2座 TOWER 2

42樓至43樓、45樓至49樓

42/F - 43/F, 45/F - 49/F




備註：平面圖所列數字為以毫米標示之建築結構尺寸。

Note: The dimensions of the floor plans are all structural dimensions measured in millimeters.

比例尺 Scale 0米(m) 5米(m)

10

期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE



每個住宅物業 Each Residential Property	樓層 FLOOR	第2座 TOWER 2
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	42樓至43樓、45樓至49樓 42/F - 43/F, 45/F - 49/F	150, 200, 250, 300
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		3050, 3100, 3150, 3200, 3250, 3300, 3350, 3400, 3470, 3500

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

請參閱本售樓說明書第54 - 56頁為住宅物業的樓面平面圖而設之備註和圖例。
Please refer to pages 54 - 56 of this sales brochure for the remarks and legends pertaining to the floor plans of the residential properties.

10 期數的住宅物業的樓面平面圖 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第2座 TOWER 2

50樓 50/F

50樓在發展項目落成後進行小型工程及/或獲《建築物條例》(第123章)豁免的工程而有所改動。該等改動的大概位置已在本樓面平面圖中作標示。


50/F has undergone alterations in the form of minor works and/or exempted works under the Building Ordinance (Cap. 123) after the completion of the Development. The approximate locations of alterations are indicated on this floor plan.

50樓改動工程包括：

① 移除洗手盆。

50/F alteration works include:

① Sink was removed.




備註：平面圖所列數字為以毫米標示之建築結構尺寸。

Note: The dimensions of the floor plans are all structural dimensions measured in millimeters.

比例尺 Scale 0米(m) 5米(m)

10期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE



每個住宅物業 Each Residential Property	樓層 FLOOR	第2座 TOWER 2
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	50樓 50/F	150, 200, 250, 300
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		3100, 3125, 3150, 3200, 3250, 3300, 3500

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

請參閱本售樓說明書第54 - 56頁為住宅物業的樓面平面圖而設之備註和圖例。
Please refer to pages 54 - 56 of this sales brochure for the remarks and legends pertaining to the floor plans of the residential properties.


10 期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第2座 TOWER 2

50樓 (現狀間隔平面圖)

50/F (As-Is Floor Plan)




備註：平面圖所列數字為以毫米標示之建築結構尺寸。

Note: The dimensions of the floor plans are all structural dimensions measured in millimeters.

比例尺 Scale 0米(m) 5米(m)

10期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE



每個住宅物業 Each Residential Property	樓層 FLOOR	第2座 TOWER 2
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	50樓 50/F	150, 200, 250, 300
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		3100, 3125, 3150, 3200, 3250, 3300, 3500

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

請參閱本售樓說明書第54 - 56頁為住宅物業的樓面平面圖而設之備註和圖例。
Please refer to pages 54 - 56 of this sales brochure for the remarks and legends pertaining to the floor plans of the residential properties.


10 期數的住宅物業的樓面平面圖 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第2座 TOWER 2

51樓 51/F

51樓在發展項目落成後進行小型工程及/或獲《建築物條例》(第123章)豁免的工程而有所改動。該等改動的大概位置已在本樓面平面圖中作標示。

51/F has undergone alterations in the form of minor works and/or exempted works under the Building Ordinance (Cap. 123) after the completion of the Development. The approximate locations of alterations are indicated on this floor plan.



51樓改動工程包括：

- ① 改動間隔牆及化妝間1趟門改為掩門。
- ② 新增間隔牆。
- ③ 改動洗手盆位置。
- ④ 移除洗手盆。
- ⑤ 更改門擺方向。
- ⑥ 改動間隔牆及睡房門的位置。
- ⑦ 新增浴缸。
- ⑧ 改動浴室門和洗手盆的位置。
- ⑨ 改動間隔牆及主人浴室門的位置。
- ⑩ 在升降機3前新增掩門。
- ⑪ 改動間隔牆及走廊門的位置。
- ⑫ 新增主人浴室1間隔牆及門。
- ⑬ 改動座廁的位置。
- ⑭ 改動間隔牆及廚房趟門。

51/F alteration works include:

- ① Partition wall was altered and Powder Room 1 sliding door was replaced with swing door.
- ② Partition wall was added.
- ③ Sink was relocated.
- ④ Sink was removed.
- ⑤ Door swing direction was changed.
- ⑥ Partition wall and Bedroom door were relocated.
- ⑦ Bathtub was added.
- ⑧ Shower cubicle door and sink were relocated.
- ⑨ Partition wall and Master Bathroom door were relocated.
- ⑩ Swing door was added in front of Lift 3.
- ⑪ Partition wall and the corridor door were relocated.
- ⑫ Partition wall and Master Bathroom 1 door were added.
- ⑬ Water closet was relocated.
- ⑭ Partition wall and Kitchen sliding door were altered.


備註：平面圖所列數字為以毫米標示之建築結構尺寸。

Note: The dimensions of the floor plans are all structural dimensions measured in millimeters.

比例尺 Scale 0米(m) 5米(m)

10

期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE



每個住宅物業 Each Residential Property	樓層 FLOOR	第2座 TOWER 2
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	51樓 51/F	150, 175, 200, 225
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		3200, 3470, 3500, 3505, 3520, 3650, 3770

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


請參閱本售樓說明書第54 - 56頁為住宅物業的樓面平面圖而設之備註和圖例。
Please refer to pages 54 - 56 of this sales brochure for the remarks and legends pertaining to the floor plans of the residential properties.

10 期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第2座 TOWER 2

51樓 (現狀間隔平面圖)
51/F (As-Is Floor Plan)




備註：平面圖所列數字為以毫米標示之建築結構尺寸。

Note: The dimensions of the floor plans are all structural dimensions measured in millimeters.

比例尺 Scale 0米(m) 5米(m)

10期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE



每個住宅物業 Each Residential Property	樓層 FLOOR	第2座 TOWER 2
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	51樓 51/F	150, 175, 200, 225
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		3200, 3470, 3500, 3505, 3520, 3650, 3770

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

請參閱本售樓說明書第54 - 56頁為住宅物業的樓面平面圖而設之備註和圖例。
Please refer to pages 54 - 56 of this sales brochure for the remarks and legends pertaining to the floor plans of the residential properties.

Penthouse 52E - 低層
Penthouse 52E - Lower Level




Note: The dimensions of the floor plans are all structural dimensions measured in millimeters.

0米(m) 5米(m)

10期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE



每個住宅物業 Each Residential Property	樓層 FLOOR	第2座 TOWER 2
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	3樓 3/F	200
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		4500, 5000, 8600
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	52樓 52/F	150, 250, 300, 375
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		2900, 2930, 2980, 3000, 3030, 3130, 3150, 3170, 3180, 3200, 3250, 3330, 3350, 3400, 3470, 3480, 3500, 3530, 6970, 10475, 10700

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

請參閱本售樓說明書第54 - 56頁為住宅物業的樓面平面圖而設之備註和圖例。
Please refer to pages 54 - 56 of this sales brochure for the remarks and legends pertaining to the floor plans of the residential properties.

10 期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE


第2座 TOWER 2

53樓

53/F

Penthouse 52E - 中層

Penthouse 52E - Middle Level




備註：平面圖所列數字為以毫米標示之建築結構尺寸。

Note: The dimensions of the floor plans are all structural dimensions measured in millimeters.

比例尺 Scale 0米(m) 5米(m)

10期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE



每個住宅物業 Each Residential Property	樓層 FLOOR	第2座 TOWER 2
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	53樓 53/F	150, 250, 300, 350
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		3100, 3150, 3200, 3250, 3300, 3400, 3470, 3500

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


請參閱本售樓說明書第54 - 56頁為住宅物業的樓面平面圖而設之備註和圖例。
Please refer to pages 54 - 56 of this sales brochure for the remarks and legends pertaining to the floor plans of the residential properties.

10 期數的住宅物業的樓面平面圖 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第2座 TOWER 2

55樓
55/F

Penthouse 52E - 高層
Penthouse 52E - Upper Level



備註：平面圖所列數字為以毫米標示之建築結構尺寸。


Note: The dimensions of the floor plans are all structural dimensions measured in millimeters.

比例尺 Scale 0米(m) 5米(m)

10

期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE



每個住宅物業 Each Residential Property	樓層 FLOOR	第2座 TOWER 2
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	55樓 55/F	150, 200, 250, 375
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		3650, 3775, 3825, 3875, 3925, 3950, 4000, 4300

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

請參閱本售樓說明書第54 - 56頁為住宅物業的樓面平面圖而設之備註和圖例。
Please refer to pages 54 - 56 of this sales brochure for the remarks and legends pertaining to the floor plans of the residential properties.


10 期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第2座 TOWER 2

天台
Roof

Penthouse 52E - 私人天台
Penthouse 52E - Private Roof




備註：平面圖所列數字為以毫米標示之建築結構尺寸。

Note: The dimensions of the floor plans are all structural dimensions measured in millimeters.

比例尺 Scale 0米(m) 5米(m)

10期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE



每個住宅物業 Each Residential Property	樓層 FLOOR	第2座 TOWER 2
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	天台 Roof	150, 200
層與層之間的高度(毫米) Floor-to-Floor Height (mm)		5300, 5750

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

請參閱本售樓說明書第54 - 56頁為住宅物業的樓面平面圖而設之備註和圖例。
Please refer to pages 54 - 56 of this sales brochure for the remarks and legends pertaining to the floor plans of the residential properties.

10 期數的住宅物業的樓面平面圖


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

備註：

1. 部分樓層外牆範圍設有建築裝飾、金屬格柵及/或外露喉管，詳細資料請參考最新批准的建築圖則。
2. 部分住宅單位的露台、平台、空調機平台、外牆上或附近設有外露及/或外牆裝飾板內藏之公用喉管，詳細資料請參考最新批准的建築圖則及/或排水設施圖。
3. 部分住宅單位天花或設有跌級樓板用以安裝樓上單位之機電設備及/或假天花內裝置空調裝備及/或其他機電設備。
4. 部分工作間及部分洗手間內裝有外露喉管。
5. 部分露台及陽台上方裝有外露喉管。
6. 露台及陽台為非封閉的地方。
7. 各住宅物業的樓面平面圖內所展示之裝置及設備的圖標如浴缸、洗面盆、座廁、花灑、洗滌盆櫃等乃根據最新經批准的建築圖則擬備，其形狀、尺寸、比例或與實際提供的裝置及設備存在差異，僅供示意及參考之用。
8. 部分住宅單位之天花高度將會因應結構、建築及/或裝修設計上的需要而存在差異。

Notes:

1. There are architectural features, metal grilles, and/ or exposed pipes on the external walls of some floors. For details, please refer to the latest approved building plans.
2. Common pipes that are exposed and/or enclosed in cladding maybe located at or adjacent to the balconies, flat roofs, air-conditioner platforms, or external walls of some residential units. For details, please refer to the latest approved building plans and/ or drainage plans.
3. In some residential units, there may be sunken slabs installed for mechanical and electrical services of upper units, and/ or false ceilings with built-in air-conditioning fittings and/ or other mechanical and electrical services.
4. There may be exposed pipes installed in some utility rooms and lavatories.
5. There may be exposed pipes located at the upper part of some balconies and verandahs.
6. Balconies and utility platforms are non-enclosed areas.
7. The icons of fittings and appliances shown on the floor plans of residential units, such as bathtubs, wash basins, water closets, showers, sink, cabinets etc. are prepared in accordance with the latest approved building plans. Their shapes, dimensions, scales may vary from the fittings and appliances actually provided, and they are for indication and reference only.
8. The ceiling height in some residential units may vary due to structural, architectural and/ or design requirements.



樓面平面圖之圖例

Legends of the Floor Plans

A/C UNIT	=	空調機	Air Conditioning Unit
A/C PLATFORM	=	空調機平台	Air Conditioning Platform
AHU RM.	=	風櫃房	Air Handling Unit Room
ALUMINIUM ARCHITECTURAL FEATURE	=	鋁建築裝飾	Aluminium Architectural Feature
ARCHITECTURAL FEATURE	=	建築裝飾	Architectural Feature
BAL.	=	露台	Balcony
BALCONY ABOVE	=	上層位置為露台	Balcony Above
BAR TABLE	=	吧台	Bar Table
BATH.	=	浴室	Bathroom
B.1	=	浴室 1	Bathroom 1
B.2	=	浴室 2	Bathroom 2
B.3	=	浴室 3	Bathroom 3
B.R.1	=	睡房 1	Bedroom 1
B.R.2	=	睡房 2	Bedroom 2
B.R.3	=	睡房 3	Bedroom 3
CANOPY FOR BALCONY BELOW	=	下層位置為露台的雨篷	Canopy for Balcony Below
CONCRETE PLINTH	=	混凝土底座	Concrete Plinth
COMMON AREA	=	公用地方	Common Area
CONS.	=	溫室	Conservatory
CORRIDOR	=	走廊	Corridor
DIN.	=	飯廳	Dining Room
DN	=	下	Down
ELE.	=	電力機房	Electrical Room
ELV.	=	低壓電力管道	Extra-low Voltage Cable Duct
F.H.	=	消防栓	Fire Hydrant
F.S. TANK ROOM	=	消防水缸房	Fire Services Tank Room
F.S. WATER TANK	=	消防水缸	Fire Services Water Tank
FAMILY ROOM	=	家庭間	Family Room
FIREMAN'S LIFT LOBBY	=	消防員升降機大堂	Fireman's Lift Lobby

FITNESS	=	健身房	Fitness Room
FLAT ROOF	=	平台	Flat Roof
GARDEN	=	花園	Garden
GLASS ARCHITECTURAL FEATURE	=	玻璃建築裝飾	Glass Architectural Feature
H/L	=	高位	High Level
H.R.	=	消防喉轆	Hose Reel
INACCESSIBLE FLAT ROOF	=	無法到達的平台	Inaccessible Flat Roof
KIT.	=	廚房	Kitchen
KIT. 1	=	廚房 1	Kitchen 1
KIT. 2	=	廚房 2	Kitchen 2
L/L	=	低位	Low Level
LAV.	=	洗手間	Lavatory
LAV.1	=	洗手間 1	Lavatory 1
LAV.2	=	洗手間 2	Lavatory 2
LAV.3	=	洗手間 3	Lavatory 3
LAV.4	=	洗手間 4	Lavatory 4
LAV.5	=	洗手間 5	Lavatory 5
LAV.6	=	洗手間 6	Lavatory 6
LAV.7	=	洗手間 7	Lavatory 7
LANDSCAPED AREA	=	景觀區	Landscaped Area
LIFT	=	升降機	Lift
LIFT EMERGENCY DOOR	=	升降機緊急門	Lift Emergency Door
LIFT LOBBY	=	升降機大堂	Lift Lobby
LIFT MACHINE ROOM	=	升降機機房	Lift Machine Room
LIFT OVERRUN	=	升降機頂部	Lift Overrun
LIV.	=	客廳	Living Room
LIV. 2	=	客廳 2	Living Room 2
M.B.	=	主人浴室	Master Bathroom
M.B.1	=	主人浴室1	Master Bathroom 1

樓面平面圖之圖例

Legends of the Floor Plans

M.B. 2	= 主人浴室 2	Master Bathroom 2
M.B.R.	= 主人睡房	Master Bedroom
M.B.R. 1	= 主人睡房 1	Master Bedroom 1
M.B.R. 2	= 主人睡房 2	Master Bedroom 2
OPEN AIR	= 露天	Open Air
OPEN KIT.	= 開放式廚房	Open Kitchen
OUTDOOR POOL	= 露天泳池	Outdoor Pool
P.D.	= 管道	Pipe Duct
POWDER ROOM	= 化妝間	Powder Room
POWDER 1	= 化妝間 1	Powder Room 1
POWDER 2	= 化妝間 2	Powder Room 2
POWDER 3	= 化妝間 3	Powder Room 3
POTABLE WATER PUMP ROOM	= 飲用水泵房	Potable Water Pump Room
PRESIDENTIAL SUITE	= 總統套房	Presidential Suite
PRESIDENTIAL SUITE B.1	= 總統套房浴室 1	Presidential Suite Bathroom 1
PRESIDENTIAL SUITE B.2	= 總統套房浴室 2	Presidential Suite Bathroom 2
PRIVATE LIFT	= 私人升降機	Private Lift
PRIVATE LIFT LOBBY	= 私人升降機大堂	Private Lift Lobby
PRIVATE ROOF	= 私人天台	Private Roof
R.S.M.R.R.	= 垃圾及物料回收房	Refuse Storage & Material Recovery Room
SAFE ROOM	= 安全室	Safe Room
STORE	= 儲物室	Store Room
STORE 2	= 儲物室 2	Store Room 2

STUDY	= 書房	Study Room
T.R.S.	= 臨時庇護處	Temporary Refuge Space
UP	= 上	Up
U.R.	= 工作間	Utility Room
U.R.1	= 工作間 1	Utility Room 1
U.R. 2	= 工作間 2	Utility Room 2
VERANDAH	= 陽台	Verandah
VOID	= 中空	Void
VOID ABOVE	= 上層位置為中空	Void Above
WALK-IN CLOSET	= 衣帽間	Walk-in Closet
W.M.C.	= 水錶櫃	Water Meter Cabinet